

| Canaux | Réf. Art. | Gamme de volume (µl) | Incément de volume (µl) | Volume test (µl) | Exactitude (±%) | Précision (≤%) |
|--------|------------|----------------------|-------------------------|------------------|-----------------|----------------|
| 1 | 3011 | 0.2 - 2.0 | 0.001 | 0.2 | 12.0 | 6.0 |
| | | | | 1 | 3.0 | 1.6 |
| | | | | 2 | 1.5 | 0.7 |
| | 3012 | 1 - 10 | 0.01 | 1 | 5.0 | 1.5 |
| | | | | 5 | 1.5 | 0.8 |
| | | | | 10 | 1.2 | 0.5 |
| | 3013 | 2 - 20 | 0.01 | 2 | 7.0 | 2.0 |
| | | | | 10 | 1.6 | 0.5 |
| 20 | | | | 1.2 | 0.35 | |
| 3015 | 10 - 100 | 0.1 | 10 | 3.5 | 1.0 | |
| | | | 50 | 1.0 | 0.35 | |
| | | | 100 | 0.8 | 0.2 | |
| 3016 | 20 - 200 | 0.1 | 20 | 2.5 | 1.0 | |
| | | | 100 | 1.0 | 0.3 | |
| | | | 200 | 0.7 | 0.18 | |
| 3018 | 100 - 1000 | 1 | 100 | 3.0 | 0.6 | |
| | | | 500 | 1.0 | 0.3 | |
| | | | 1000 | 0.8 | 0.2 | |
| 3019 | 500 - 5000 | 5 | 500 | 3.0 | 0.6 | |
| | | | 2500 | 1.2 | 0.3 | |
| | | | 5000 | 0.6 | 0.18 | |
| 8 | 3022 | 1 - 10 | 0.01 | 1 | 12.0 | 7.0 |
| | | | | 5 | 4.0 | 3.0 |
| | | | | 10 | 2.0 | 1.2 |
| | 3024 | 5 - 50 | 0.05 | 5 | 5.0 | 2.0 |
| | | | | 25 | 2.0 | 1.0 |
| 50 | | | | 1.2 | 0.5 | |
| 3025 | 10 - 100 | 0.1 | 10 | 5.0 | 1.5 | |
| | | | 50 | 2.0 | 0.8 | |
| | | | 100 | 1.2 | 0.3 | |
| 3026 | 20 - 200 | 0.1 | 20 | 5.0 | 1.2 | |
| | | | 100 | 2.0 | 0.5 | |
| | | | 200 | 1.2 | 0.3 | |
| 3028 | 100 - 1250 | 1 | 125 | 5.0 | 1.1 | |
| | | | 625 | 1.8 | 0.7 | |
| | | | 1250 | 1.0 | 0.3 | |
| 12 | 3032 | 1 - 10 | 0.01 | 1 | 12.0 | 7.0 |
| | | | | 5 | 4.0 | 3.0 |
| | | | | 10 | 2.0 | 1.2 |
| | 3034 | 5 - 50 | 0.05 | 5 | 5.0 | 2.0 |
| | | | | 25 | 2.0 | 1.0 |
| 50 | | | | 1.2 | 0.5 | |
| 3035 | 10 - 100 | 0.1 | 10 | 5.0 | 1.5 | |
| | | | 50 | 2.0 | 0.8 | |
| | | | 100 | 1.2 | 0.3 | |
| 3036 | 20 - 200 | 0.1 | 20 | 5.0 | 1.2 | |
| | | | 100 | 2.0 | 0.5 | |
| | | | 200 | 1.2 | 0.3 | |
| 3038 | 100 - 1250 | 1 | 125 | 5.0 | 1.1 | |
| | | | 625 | 1.8 | 0.7 | |
| | | | 1250 | 1.0 | 0.3 | |
| 16 | 3042 | 1 - 10 | 0.01 | 1 | 12.0 | 7.0 |
| | | | | 5 | 4.0 | 3.0 |
| | | | | 10 | 2.0 | 1.2 |
| 3044 | 5 - 50 | 0.05 | 5 | 5.0 | 2.0 | |
| | | | 25 | 2.0 | 1.0 | |
| | | | 50 | 1.2 | 0.5 | |
| 3045 | 10 - 100 | 0.1 | 10 | 5.0 | 1.5 | |
| | | | 50 | 2.0 | 0.8 | |
| | | | 100 | 1.2 | 0.3 | |

1. Les spécifications de pipettes multicanaux correspondent à la performance de tous les canaux de la pipette.

2. Précision = Coefficient de Variation