INTEGRA



VIAFLO

Electronic pipettes Lightweight, simple to use and productive



LIGHTWEIGHT AND **PRODUCTIVE**



GRIPTIPS never fall off and are always perfectly aligned when used with multichannel pipettes, resulting in superior accuracy and precision results

VIAFLO

Electronic pipettes

VIAFLO electronic pipettes form a perfect pipetting system in combination with INTEGRA's wide range of **GRIPTIPS**, which never loosen, leak or fall off. The ultra lightweight, well-balanced design of the VIAFLO features unsurpassed multichannel pipetting ergonomics, even during prolonged pipetting sessions. The color screen, together with the easy to navigate touch wheel user interface, promotes ease of set-up and operation. All VIAFLO pipettes offer a choice of predefined pipetting modes covering typical applications, as well as custom multistep programs for specific tasks.

GRIPTIP pipette tips will never loosen, leak or fall off!

"The VIAFLO is so ergonomic and comfortable for our users that fatigue is simply no longer an issue. It takes seconds to fill 96 well assay plates or 24 well cell culture plates. The workflows are much faster, the throughput significantly increases and the results are accurate."



Edisa Albino CDI Labs in Puerto Rico

GRIPTIPS

Do your pipette tips ever loosen, leak or fall off? GRIPTIPS are always securely attached and perfectly aligned, regardless of how many side well touch-offs are performed. You no longer have to hammer your pipette tips on, or worry about pipette tips falling off!






Shoulder
A shoulder provides
a positive stop to
prevent over-tightening
of the tip. It can only
be attached up to that
point and no further,
ensuring that all tips
are at the same height.
That means that the tip
is either on or off, but
nothing in between.

Productivity - time saving and improved results

The popular **VIAFLO** electronic pipettes provide advanced pipetting functions at the touch of a button. This lightweight, easy to use option offers 10 preset pipetting programs to perform a range of functions, helping to really accelerate and simplify set-up of your application.



Repeat Dispense Dispensing of multiple aliquots of the same volume



Serial DilutionAspiration and subsequent mixing of a diluted transfer volume



Pipet/Mix
Transfer of a defined volume followed by a defined number of automatic mixing cycles



Custom programsFull flexibility to write and run your own protocols

Ergonomic

VIAFLO electronic pipettes and GRIPTIPS have been designed in tandem to form a system. You no longer have to hammer your pipette tips on, or worry about them falling off!



VIAFLO electronic pipettes eliminate the need to press a plunger, whether you're aspirating, dispensing or mixing, reducing the strain on your thumb.







The ergonomic touch wheel interface of **VIAFLO** electronic pipettes eliminates wrist twisting, minimizing the likelihood of developing a repetitive strain injury!








Simple to use


The touch wheel is a quick and ergonomic way to modify pipetting parameters. Simply slide your finger over the wheel instead of repeatedly pushing buttons or twisting your fingers to alter pipetting volumes.







Versatile product offering



ASSIST / ASSIST PLUS

The ASSIST family of pipetting robots automates INTEGRA's electronic multichannel pipettes to free scientists from routine tasks such as serial dilutions, sample reformatting and reagent addition. It provides excellent pipetting reproducibility and sets a new standard for ergonomics. Simply mount a **VIAFLO** electronic pipette onto the ASSIST/ASSIST PLUS pipetting robot, choose a pipetting protocol, and add a tip rack and your labware. Press RUN, and the ASSIST/ASSIST PLUS will automatically carry out the full workflow.





Charging options

Pipettes can be charged directly with the pipette mains adapter (#4200). The single pipette charging stand (#4210) and the carousel charging stand (#4215) offer space saving alternatives. The charging/communication stand (#4211) also enables communication between the pipette and a PC with INTEGRA's VIALINK Pipette Management Software.







Single pipette charging stand (4210) Communication stand (4211)



Carousel charging stand (4215)



Short linear stand (3214)



Linear stand (3215)

Two linear stands (#3214 for Short, #3215 for Standard) accommodate all types of INTEGRA pipettes. They can be easily converted into charging stands by the addition of up to four charging stations (#3217) and a mains adapter (#3216). Alternatively, a charging communication station (#3218) can be added to enable communication between the pipette and a PC with VIALINK.



Charging station (3217)
Charging/communication station (3218)
Mains adpater (3216)

Reservoirs

This eco-friendly range features disposable reservoir inserts that sit securely within a sturdy, SBS-format, reusable base with bold, crisp, clearly visible graduation markings to minimize plastic waste. Designed to nest inside each other, it is possible to fit twice as many inserts into half the space of other products on the market, reducing inventory space requirements and shipping costs. Each flat bottom insert benefits from INTEGRA's revolutionary SureFlo™ anti-sealing array, ensuring minimal dead volume.







Polypropylene

Choose from 10, 25 and 100 ml reservoirs in crystal clear **polystyrene** or **polypropylene**, for enhanced chemical compatibility. A **divided version** is also available.



Ordering information

Instrument	Channels	Volume range	Part no.
VIAFLO Single 0.5		0.5 – 12.5 µl	4011
Electronic Pipettes		2 – 50 µl	4016
		5 – 125 μl	4012
		10 – 300 µl	4013
		50 – 1250 μl	4014
		100 – 5000 μl	4015
	Eight	0.5 – 12.5 μl	4621
		2 – 50 µl	4626
		5 – 125 μl	4622
		10 – 300 µl	4623
		50 – 1250 μl	4624

Instrument		Channels	Volume range	Part no.
		Twelve	0.5 – 12.5 μl	4631
TOPA CONTRACTOR	ET I		2 – 50 µl	4636
			5 – 125 μl	4632
	ī		10 – 300 μl	4633
			50 – 1250 μl	4634
		Sixteen	0.5 – 12.5 μl	4641
			2 – 50 µl	4646
			5 – 125 μl	4642

Instruments do not include a power supply. Choose your desired charging option below.

Charging options	Part no.
Short linear stand (Holds up to 2 charging stations; mains adapter and charging stations sold separate)	3214
Linear stand (Holds up to 4 charging stations; mains adapter and charging stations sold separate)	3215
Mains adapter, for use with linear stand	3216
Charging station for linear stand (incl. connection cable)	3217
Charging/communication station for linear stand (incl. connection cable and USB cable)	
Mains adapter for electronic pipette	
Single pipette charging stand, incl. mains adapter	4210
Charging/communication stand, incl. mains adapter	4211
Carousel charging stand for 4 pipettes, incl. mains adapter	

	ECO Rack GRIPTIP – For more GRIPTIP options, including GREEN CHOICE and bulk bags, please refer to our website.			
	Pre-Sterilized Filter Part no.	Pre-Sterilized Part no.	Non-Sterile Part no.	
10 racks of 96 GRIPTIPS	3408	3407	3406	
10 racks of 384 GRIPTIPS	3405	3404	3403	
10 racks of 96 GRIPTIPS	3418	3417	3416	
10 racks of 384 GRIPTIPS	3415	3414	3413	
10 racks of 96 GRIPTIPS	3428	3427	3426	
10 racks of 384 GRIPTIPS	3425	3424	3423	
10 racks of 96 GRIPTIPS	3435	3434	3433	
10 racks of 96 GRIPTIPS	3445	3444	3443	
	10 racks of 384 GRIPTIPS 10 racks of 96 GRIPTIPS 10 racks of 384 GRIPTIPS 10 racks of 96 GRIPTIPS 10 racks of 384 GRIPTIPS 10 racks of 384 GRIPTIPS 10 racks of 96 GRIPTIPS	Part no. 10 racks of 96 GRIPTIPS 3408 10 racks of 384 GRIPTIPS 3405 10 racks of 96 GRIPTIPS 3418 10 racks of 384 GRIPTIPS 3415 10 racks of 96 GRIPTIPS 3428 10 racks of 384 GRIPTIPS 3425 10 racks of 96 GRIPTIPS 3435	Part no. Part no. 10 racks of 96 GRIPTIPS 3408 3407 10 racks of 384 GRIPTIPS 3405 3404 10 racks of 96 GRIPTIPS 3418 3417 10 racks of 384 GRIPTIPS 3415 3414 10 racks of 96 GRIPTIPS 3428 3427 10 racks of 384 GRIPTIPS 3425 3424 10 racks of 96 GRIPTIPS 3435 3434	

ECO Rack Low Retention GRIPTIP				
Description		Pre-Sterilized Filter Part no.	Pre-Sterilized Part no.	Non-Sterile Part no.
12.5 µl LONG	10 racks of 96 GRIPTIPS, Low Retention	3508	3507	3506
12.5 µl LONG	10 racks of 384 GRIPTIPS, Low Retention	3505	3504	3503
12.5 µl	10 racks of 96 GRIPTIPS, Low Retention	3518	3517	3516
12.5 µl	10 racks of 384 GRIPTIPS, Low Retention	3515	3514	3513
125 µl	10 racks of 96 GRIPTIPS, Low Retention	3528	3527	3526
125 µl	10 racks of 384 GRIPTIPS, Low Retention	3525	3524	3523
300 μΙ	10 racks of 96 GRIPTIPS, Low Retention	3535	3534	3533
1250 µl	10 racks of 96 GRIPTIPS, Low Retention	3545	3544	3543

For a complete listing of all GRIPTIP volumes and configurations, visit the INTEGRA GRIPTIP Selector Guide

PopTop Base for use with ECO Racks and GREEN CHOICE GRIPTIP		
Description	Part no.	
Small PopTop base	3250	
Large PopTop base	3255	



INTEGRA Biosciences AG

7205 Zizers, Switzerland T +41 81 286 95 55 F +41 81 286 95 07 info@integra-biosciences.com



INTEGRA Biosciences Corp.

Hudson, NH 03051, USA T +1 603 578 5800 F +1 603 577 5529 info-us@integra-biosciences.com



INTEGRA Biosciences Ltd.

Thatcham, Berks RG19 4EP, UK T +44 1635 797000 F +44 1635 797001 info-uk@integra-biosciences.com